


# ADA Alternative<sup>®</sup> Substrate & Appliqué

A matte product line specially designed to comply with the Americans with Disabilities Act (ADA) Federal regulations for tactile signage. Braille-engravable, routable sheets come in a wide variety of color combinations.




**3X1-601**  
Red

**3X1-602**  
Burgundy

**3X1-671**  
Bordeaux

**3X1-661**  
Passion Pink



**3X1-823**  
Canyon

**3X1-603**  
Orange

**3X1-701**  
Yellow

**3X1-905**  
Grass Green

**3X1-901**  
Bright Green


**3X1-902**  
Pine Green

**3X1-921**  
Teal

**3X1-903**  
Black Forest  
Green

**3X1-509**  
Bahama Blue

**3X1-507**  
Maui Blue



**3X1-302**  
China Blue

**3X1-501**  
Blue

**3X1-504**  
Air Force Blue

**3X1-502**  
Marine Blue

**3X1-801**  
Antique Ivory


**3X1-808**  
Sand

**3X1-214**  
Ash

**3X1-811**  
Parchment

**3X1-218**  
Sandalwood

**3X1-201\***  
White



**3X1-204\***  
Bright White

**3X1-305**  
Light Grey

**3X1-306**  
Pearl Grey

**3X1-595**  
Driftwood

**3X1-301**  
Grey


**3X1-308**  
Silver Gray

**3X1-307**  
Charcoal Gray

**3X1-413**  
Cinder

**3X1-831**  
Beige

**3X1-805**  
Candlewick



**3X1-802**  
Taupe

**3X1-803**  
Dark Brown

**3X1-821**  
Med. Brown

**3X1-401\***  
Black

**3X1-891**  
Copper

**3X1-871**  
Deep Bronze

**3X1-771**  
Gold

**3X1-304**  
Silver

**3X1-398**  
Graphite

**3XX-101**  
Clear

\* These products are also offered in a .040" (1mm) thickness.

## Specifications

### Material

- » Single-ply modified acrylic

### Finish

- » Matte non-glare

### Minimum Sheet Size

- » 24" x 48¾" (610 x 1238mm)

### Thickness 1-ply

- » 1/32" (0.8mm) Use 311 as first digits in item code. \*Available with or without adhesive; to order with adhesive add "8" to the end of the six-digit item code.
- » .040" (1mm) Use 391 as first digits in item code.\*
- » 1/16" (1.6mm) Use 321 as first digits in item code.
- » 1/8" (3.2mm) Use 341 as first digits in item code. (Gauges are approximate.)

### Engraving Method

- » Laser
- » Rotating carbide

### Usage

- » Interior signage
- » Exterior signage
- » ADA compliant (for tactile signage applications)

### Cutting 1/32" Tactile Letters


- » 1/4 round .020" tip at 20°-25° angle

### Fabrication


- » Scores
- » Saws
- » Drills
- » Shears
- » Bevels
- » Laser vector cuts
- » Heat bendable
- » Screen prints
- » Braille-engravable
- » Hot stamps
- » Bonds
- » UV stable
- » Outdoor weatherable

# FlexiBrass® & FlexiColor®

FlexiBrass® & FlexiColor® have the flexibility to wrap around a curved surface, such as trophies, and serve a multitude of purposes in the ad specialty and indoor signage markets. It's easy to fabricate, lightweight, and will not tarnish like brass.



602-677 ■ Port Wine/Brass  
 602-672 ■ Port Wine/White  
 602-937 ■ Verde/Brass  
 602-577 ■ Celestial Blue/Brass  
 602-572 ■ Celestial Blue/White



602-363 Harbor Grey/Silver  
 602-362 Harbor Grey/White  
 602-735 Brushed Gold/Blue  
 602-874 Brushed Bronze/Black  
 602-884 Deep Bronze/Black  
 602-734 Brushed Gold/Black  
 602-754 ♦ European Gold/Black  
 602-602 Red/White  
 602-744 Yellow/Black  
 602-512 Blue/White



602-204 White/Black  
 602-402 Black/White  
 602-417 Matte Black/Brass  
 602-427 ■ Gloss Black/Brass  
 602-413 Matte Black/Silver  
 602-423 ■ Gloss Black/Silver  
 602-354 Brushed Alum./Black  
 602-334 Br. Silver/Black  
 602-794 ■ Trophy Gold/Black  
 602-394 ■ Trophy Silver/Black

## Specifications

### Material

- » Microsurfaced impact acrylic
- Available with or without adhesive.
- To order with adhesive add "8" to the end of the six-digit item code.

### Sheet Size

- » 24" x 48¾" (610 x 1238mm)
- » 23 1/2" x 49" (597 x 1245mm)  
(Port Wine-602-677, 602-672)

### Finish

- » Matte non-glare
- » Gloss ■
- » Brushed metal
- » Patterned

### Thickness 2-ply

- » .020" (.5mm)  
(Gauges are approximate.)

### Usage

- » Interior signage
- » Trophies, awards and plaques

### Engraving Method

- » Laser
- » Rotating carbide
- » Burnish

### Engraving Depth

- » .003" (.08mm)

### Fabrication

- » Scores
- » Saws
- » Drills
- » Shears
- » Laser vector cuts
- » Bevels
- » Screen prints
- » Hot stamps
- » Permits fine detail engraving

♦ Not recommended for harsh or high humidity indoor or outdoor applications.

# Lacquers™

A highly polished look in a rich array of color combinations. The Lacquers' UV stability lends them to indoor and outdoor applications.



<b>4XX-602</b> Red/ White	<b>4XX-607</b> Red/ Yellow	<b>4XX-704</b> Yellow/ Black	<b>4XX-794</b> Safety Yellow/ Black	<b>4XX-932</b> Bright Green/ White	<b>4XX-962</b> Teal/ White	<b>4XX-512</b> Blue/ White
---------------------------------	----------------------------------	------------------------------------	---	--	----------------------------------	----------------------------------



<b>4XX-517</b> Blue/ Yellow	<b>4XX-562</b> Sapphire/ White	<b>4XX-542</b> Blueberry/ White	<b>4XX-842</b> Dark Brown/ White	<b>4XX-206</b> White/ Red	<b>4XX-205</b> White/ Blue	<b>4XX-204</b> White/ Black	<b>4XX-814</b> Parchment/ Black	<b>4XX-228</b> Ivory/ Dark Brown	<b>4XX-402</b> Black/ White
-----------------------------------	--------------------------------------	---------------------------------------	--	---------------------------------	----------------------------------	-----------------------------------	---------------------------------------	--	-----------------------------------



<b>4XX-407</b> Black/ Yellow	<b>4XX-417</b> Black/ Gold	<b>4XX-774</b> Vintage Gold/ Black	<b>4XX-384</b> Vintage Silver/ Black
------------------------------------	----------------------------------	--	--

## Specifications

### Material

- » Laminated impact acrylic

### Finish

- » Gloss

### Sheet Size

- » 24" x 48¾"  
(610 x 1238mm)

### Thickness 2-ply

- » 1/16" (1.6mm) Use 422 as first digits in item code.
- » 1/8" (3.2mm) Use 442 as first digits in item code. (Gauges are approximate.)

### Thickness 3-ply

- » 1/16" (1.6mm) Use 423 as first digits in item code.
- » 1/8" (3.2mm) Use 443 as first digits in item code.

### Usage

- » Interior signage
- » Exterior signage
- » Personal identification

### Engraving Method

- » Rotating carbide

### Cutting Depth

- » .012" (.30mm)


### Fabrication

- » Saws
- » Drills
- » Bevels
- » Heat bendable
- » Screen prints
- » Hot stamps
- » Bonds
- » UV stable
- » Outdoor Weatherable


# Mattes™

The Mattes are the most popular product in a non-glare matte finish. Perfect for fine detail engraving because of its ultra-thin microsurface. The Mattes are an industry standard and our best value!

\*Only available in 1/16", 2-ply or 1/8", 3-ply.



<b>2XX-602</b> Red/ White	<b>2XX-642*</b> Red/ Bright White	<b>2XX-622</b> Burgundy/ White	<b>222-662</b> Ribbon Pink/ White	<b>222-664</b> Ribbon Pink/ Black	<b>2XX-612</b> Orange/ White	<b>2XX-744</b> Yellow/ Black
---------------------------------	---	--------------------------------------	---	---	------------------------------------	------------------------------------



<b>2XX-932</b> Bright Green/ White	<b>2XX-972</b> Celadon Green/ White	<b>2XX-912</b> Pine Green/ White	<b>2XX-562</b> Light Blue/ White	<b>2XX-502</b> Sapphire/ White	<b>2XX-512</b> Blue/ White	<b>2XX-572*</b> Blue/ Bright White	<b>2XX-552</b> Navy Blue/ White	<b>2XX-382</b> China Blue/ White	<b>2XX-582</b> Purple/ White
--	---	--	--	--------------------------------------	----------------------------------	--	---------------------------------------	--	------------------------------------



<b>2XX-854</b> Almond/ Black	<b>2XX-228</b> Ivory/ Dark Brown	<b>2XX-822</b> Med. Brown/ White	<b>2XX-842</b> Dark Brown/ White	<b>2XX-206</b> White/ Red	<b>2XX-226</b> White/ Burgundy	<b>2XX-209</b> White/ Bright Green	<b>2XX-269</b> White/ Pine Green	<b>2XX-205</b> White/ Blue	<b>2XX-204</b> White/ Black
------------------------------------	--	--	--	---------------------------------	--------------------------------------	--	--	----------------------------------	-----------------------------------



<b>2XX-322</b> Light Grey/ White	<b>2XX-326</b> Light Grey/ Burgundy	<b>2XX-325</b> Light Grey/ Marine Blue	<b>2XX-324</b> Light Grey/ Black	<b>2XX-312</b> Grey/ White	<b>2XX-402</b> Black/ White	<b>2XX-412*</b> Black/ Bright White	<b>2XX-172*</b> Walnut/ White	<b>2XX-192*</b> English Walnut/ Br. White	<b>2XX-002*</b> Black Walnut/ White
--	---	--	--	----------------------------------	-----------------------------------	---	-------------------------------------	---	---

## Specifications

### Material

- » Microsurfaced ABS

### Thickness 2-ply

- » 1/32" (0.8mm) Use 212 as first digits in item code.
- » 1/16" (1.6mm) Use 222 as first digits in item code. (Gauges are approximate.)

### Finish

- » Matte non-glare

### Thickness 3-ply

- » 1/16" (1.6mm) Use 223 as first three digits in item code.
- » 1/8" (3.2mm) Use 243 as first three digits in item code. (Gauges are approximate.)

### Sheet Size

- » 24" x 49" (610 x 1245mm)

### Usage

- » Interior signage
- » Personal identification

### Engraving Method

- » Rotating carbide

### Cutting Depth

- » .003" (.08mm)

### Fabrication


- » Scores
- » Saws
- » Drills
- » Shears
- » Bevels
- » Heat bendable
- » Permits fine detail engraving
- » Screen prints
- » Hot stamps
- » Bonds




# metalgraph plus<sup>+</sup>

It's not metal. It's better.

Metalgraph Plus<sup>®</sup> is the first metallic engraving laminate engineered and formulated for exceptional corrosion resistance, UV stability and outdoor weatherability. Its integrated hardcoat and sub-surface brush finish provides superior protection for exterior applications and is moisture and fingerprint resistant.



**MP9X2-314** Br. St. Steel/Black  
**MP9X2-864** Br. Copper Penny/Black  
**MP9X2-764** Br. Antique Gold/Black  
**MP9X2-364** Br. Bright Nickel/Black  
**MP9X2-316** Br. St. Steel/Red



**MP9X2-315** Br. St. Steel/Blue  
**MP9X2-766** Br. Antique Gold/Red  
**MP9X2-765** Br. Antique Gold/Blue  
**MP9X2-767** Br. Antique Gold/Gold  
**MP9X2-313** Br. St. Steel/Silver  
**MP822-864** Textured Copper/Black  
**MP822-764** Textured Gold/Black  
**MP822-767** Textured Gold/Gold  
**MP822-364** Textured Nickel/Black  
**MP822-313** Textured St. Steel/Silver

## Specifications

### Material

- » Microsurfaced impact acrylic

### Finish

- » Brushed metal

### Minimum Sheet Size

- » 24" x 48¾"  
(610 x 1238mm)

### Thickness 2-ply

- » 1/32" (0.8mm) Use MP912 as first digits of item code.
- » 1/16" (1.6mm) Use MP922 as first digits of item code.
- » 1/8" (3.2mm) Use MP942 as first digits of item code. (Gauges are approximate.)

### Engraving Method

- » Laser
- » Rotating carbide

### Engraving Depth

- » .003" (.08mm)

### Usage


- » Interior signage
- » Exterior signage
- » Personal identification
- » Industrial tags
- » Trophies and awards
- » Photo laser engraving

### Fabrication


- » Scores
- » Saws
- » Drills
- » Shears
- » Laser vector cuts
- » Heat bendable
- » Screen prints
- » Permits fine detail engraving
- » Bevels
- » Bonds
- » Hot stamps
- » UV stable
- » Outdoor weatherable

# NoMark<sup>Plus</sup> & Standard Metals

Standard Metals and NoMark<sup>Plus</sup> Metals have the luster of real metal. Each color is created through a textured gravure process to reflect its own unique quality. For added protection, order NoMark<sup>Plus</sup> coating, a special hard-coat that gives the metals superior durability to prevent scratching and marring, along with the benefit of a glossy appearance to provide a lustrous real metal finish.



**5X2-884** Deep Bronze/Black  
**5X2-894** Brushed Copper/Black  
**5X2-734** Brushed Gold/Black  
**5X2-754 ♦** European Gold/Black  
**5X2-714** Smooth Gold/Black



**5X2-354** Brushed Alum./Black  
**5X2-334** Brushed Silver/Black  
**5X2-344** Smooth Silver/Black

NoMark Plus finish is available on all Standard Metals by adding "0+" to the end of the item code.

## Specifications

### Material

- » Microsurfaced ABS

### Finish

- » Brushed metal
- » Shiny metal

### Sheet Size

- » 24" x 49" (610 x 1245mm)

### Thickness 2-ply

- » 1/32" (0.8mm) Use 512 as first digits in item code. Standard Metals only are available in 1/32".
- » 1/16" (1.6mm) Use 522 as first digits in item code.
- » 3/32" (2.4mm) Use 532 as first digits in item code.
- » 1/8" (3.2mm) Use 542 as first digits in item code.
- » NoMark Plus finish is available on Standard Metals by adding "0+" to the end of the item code.

### Usage

- » Interior signage
- » Personal identification

### Engraving Method

- » Rotating carbide

### Cutting Depth

- » .003" (.08mm)

### Fabrication

- » Scores
- » Saws
- » Drills
- » Shears
- » Bevels
- » Heat bendable
- » Screen prints
- » Hot stamps
- » Bonds
- » Permits fine detail engraving

♦ Not recommended for harsh or high humidity indoor or outdoor applications.



# Satins™


A soft lustrous finish in a wide spectrum of designer colors, including gold and silver metallic substrates, will give a warm finishing touch to interior signage.




<b>1XX-602</b> Red/ White	<b>1XX-604</b> Red/ Black	<b>1XX-607</b> Red/ Yellow	<b>1XX-622</b> Burgundy/ White	<b>1XX-612</b> Orange/ White	<b>1XX-614</b> Orange/ Black	<b>1XX-704</b> Yellow/ Black
---------------------------------	---------------------------------	----------------------------------	--------------------------------------	------------------------------------	------------------------------------	------------------------------------



<b>1XX-706</b> Yellow/ Red	<b>1XX-705</b> Yellow/ Blue	<b>1XX-932</b> Bright Green/ White	<b>1XX-902</b> Green/ White	<b>1XX-912</b> Pine Green/ White	<b>1XX-942</b> Aqua/ White	<b>1XX-512</b> Blue/ White	<b>1XX-517</b> Blue/ Yellow	<b>1XX-533</b> Blue/ Silver	<b>1XX-552</b> Navy Blue/ White
----------------------------------	-----------------------------------	--	-----------------------------------	--	----------------------------------	----------------------------------	-----------------------------------	-----------------------------------	---------------------------------------



<b>1XX-532</b> Air Force Blue/ White	<b>1XX-542</b> Metallic Blue/ White	<b>1XX-582</b> Purple/ White	<b>1XX-854</b> Almond/ Black	<b>1XX-228</b> Ivory/ Dark Brown	<b>1XX-838</b> Beige/ Dark Brown	<b>1XX-832</b> Beige/ White	<b>1XX-822</b> Medium Brown/ White	<b>1XX-842</b> Dark Brown/ White	<b>1XX-206</b> White/ Red
--	---	------------------------------------	------------------------------------	--	--	-----------------------------------	--	--	---------------------------------



<b>1XX-246</b> Polar White/ Red	<b>1XX-216</b> White/ Orange	<b>1XX-209</b> White/ Bright Green	<b>1XX-239</b> Polar White/ Bright Green	<b>1XX-269</b> White/ Pine Green	<b>1XX-205</b> White/ Blue	<b>1XX-235</b> Polar White/ Blue	<b>1XX-208</b> White/ Dark Brown	<b>1XX-204</b> White/ Black	<b>1XX-234</b> Polar White/ Black
---------------------------------------	------------------------------------	--	--	--	----------------------------------	--	--	-----------------------------------	---



<b>1XX-312</b> Metallic Grey/ White	<b>1XX-362</b> Battleship Grey/ White	<b>1XX-302</b> Grey/ White	<b>1XX-304</b> Grey/ Black	<b>1XX-402</b> Black/ White	<b>122-412</b> Black/ Bright White	<b>1XX-406</b> Black/ Red	<b>1XX-407</b> Black/ Yellow	<b>1XX-417</b> Black/ Gold	<b>1XX-423</b> Black/ Silver
---	---	----------------------------------	----------------------------------	-----------------------------------	--	---------------------------------	------------------------------------	----------------------------------	------------------------------------

## Specifications

### Material

- » Acrylic cap
- » ABS core

### Finish

- » Brushed

### Sheet Size

- » 24" x 48¾"
- (610 x 1238mm)

### Thickness 2-ply

- » 1/32" (0.8mm) Use 112 as first digits in item code.
- » 1/16" (1.6mm) Use 122 as first digits in item code.
- » 3/32" (2.4mm) Use 132 as first digits in item code.
- (Gauges are approximate.)

### Thickness 3-ply

- » 1/16" (1.6mm) Use 123 as first digits in item code.
- » 1/8" (3.2mm) Use 143 as first digits in item code.
- (Gauges are approximate.)

### Usage

- » Interior signage
- » Personal identification

### Engraving Method

- » Rotating carbide

### Cutting Depth

- » .012" (.30mm)

### Fabrication

- » Scores
- » Saws
- » Drills
- » Shears
- » Bevels
- » Heat bendable
- » Screen prints
- » Hot stamps
- » Bonds

# Textures™

Textures™ are simply the best product for industrial, high traffic areas due to its tough surface that resists fingerprints, grease and grime. The Textures are laserable, UV stable and outdoor weatherable.



**822-642 ▲**  
Pimento/  
White

**822-622**  
Ruby/  
White

**822-652**  
Tangerine/  
White

**822-774**  
Acid Yellow/  
Black

**822-778**  
Acid Yellow/  
Dark Brown

**822-962**  
Jungle Green/  
White



**822-992**  
Teal/  
White

**822-592 ▲**  
Royal Blue/  
White

**822-503**  
Sapphire/  
White

**822-258**  
Bermuda Tan/  
Dark Brown

**822-854**  
Desert Sand/  
Black

**822-892**  
Coffee Bean/  
White

**822-246**  
White/  
Red

**822-205**  
Winter White/  
Blue

**822-244 ▲**  
Winter White/  
Black

**822-302**  
Ash Grey/  
White



**822-374**  
Ash Grey/  
Black

**822-422 ▲**  
Coal Black/  
White

## Specifications

### Material

- » Co-extruded impact acrylic

### Finish

- » Textured

### Minimum Sheet Size

- » 24" x 48¾" (610 x 1238mm)

### Thickness 2-ply

- » 1/16" (1.6mm)
- » 1/8" (3.2mm)▲  
Use 842 as first digits in item code. (Gauges are approximate.)

### Cutting Depth

- » .007" (.18mm)
- » Acid Yellow and Pimento is .010" (.25mm)

### Engraving Method

- » Laser
- » Rotating carbide

### Usage

- » Interior signage
- » Exterior signage
- » Safety signage
- » Industrial applications
- » Personal identification

### Fabrication


- » Saws
  - » When sawing Textures, keep finished side down.
- » Laser vector cuts
- » Heat bendable
- » Screen prints
- » Permits fine detail engraving
- » Outdoor weatherable
- » Bevels
- » Drills
- » Hot stamps
- » Bonds
- » UV stable



# Ultra-Mattes

## Front Engravable

Non-glare, easy to read and pleasing to the eye. Its durable matte finish is fingerprint resistant, making it ideal for high-traffic environments. Ultra-Mattes are UV stable, outdoor weatherable and ideal for ADA compliant signage.




**3XX-602** Red/White  
**3XX-607** Red/Yellow  
**3XX-662** Dusty Rose/White  
**3XX-632** Ruby/White  
**3XX-642** Garnet/Ash  
**3XX-862** Canyon/Ash




**3XX-823** Canyon/Cement  
**3XX-704** Yellow/Black  
**3XX-794** Safety Yellow/Black  
**3XX-932** Bright Green/White  
**3XX-972** Celadon Green/White  
**3XX-992** Hunter Green/White  
**3XX-997** Hunter Green/Gold  
**3XX-902** Black Forest Green/White  
**3XX-312** Sea Grey/White  
**3XX-942** Balsam/Ash




**3XX-962** Teal/White  
**3XX-592** Ocean Blue/White  
**3XX-512** Blue/White  
**3XX-517** Blue/Yellow  
**3XX-562** Sapphire/White  
**3XX-527** Blueberry/Gold  
**3XX-542** Blueberry/White  
**3XX-382** China Blue/White  
**3XX-246** Ash/Garnet  
**3XX-244** Ash/Cinder



**3XX-218** Sandalwood/Canyon  
**3XX-219** Sandalwood/Balsam  
**3XX-814** Parchment/Black  
**3XX-228** Ivory/Dark Brown  
**3XX-832** Beige/White  
**3XX-838** Beige/Dark Brown  
**3XX-802** Taupe/White  
**3XX-595** Driftwood/Alpine  
**3XX-206** White/Red  
**3XX-205** White/Blue



**3XX-204** White/Black  
**3XX-217** White/Gold  
**3XX-236** Cement/Garnet  
**3XX-238** Cement/Canyon  
**3XX-392** Graphite/White  
**3XX-413** Cinder/Clay  
**3XX-432** Cinder/White



**3XX-302** Charcoal Grey/White  
**3XX-842** Dark Brown/White  
**3XX-423** Black/Silver  
**3XX-402** Black/White  
**3XX-407** Black/Yellow  
**3XX-417** Black/Gold  
**3XX-774** Vintage Gold/Black  
**3XX-384** Vintage Silver/Black

# Specifications

## Material

- » Laminated impact acrylic

## Finish

- » Matte non-glare

## Sheet Size

- » 24" x 48<sup>3</sup>/<sub>4</sub>"  
(610 x 1238mm)

## Thickness 2-ply

- » 1/16" (1.6mm) Use 322 as first digits in item code.
- » 1/8" (3.2mm) Use 342 as first digits in item code.  
(Gauges are approximate.)

## Thickness 3-ply

- » 1/16" (1.6mm) Use 323 as first digits in item code.
- » 1/8" (3.2mm) Use 343 as first digits in item code.  
(Gauges are approximate.)

## Usage

- » Interior signage
- » Exterior signage
- » Personal identification
- » ADA compliant (for tactile signage applications)

## Engraving Method

- » Rotating carbide

## Cutting Depth

- » .012" (.30mm)


## Fabrication

- » Saws
- » Drills
- » Bevels
- » Heat bendable
- » Screen prints
- » Hot stamps
- » Bonds
- » Braille-engrivable
- » UV stable
- » Outdoor weatherable


# Ultra-Mattes™

## Reverse Engravable

A clear non-glare matte finish over a layer of rich color. Durable surface resists fingerprints. Ideal for ADA compliant signage. Achieve special effects with back-lighting and back-painting. UV stable and outdoor weatherable.




<b>3X2-601</b> Matte/ Red	<b>3X2-661</b> Matte/ Dusty Rose	<b>3X2-631</b> Matte/ Ruby	<b>3X2-861</b> Matte/ Canyon	<b>3X2-651</b> Matte/ Orange	<b>3X2-701</b> Matte/ Yellow
---------------------------------	--	----------------------------------	------------------------------------	------------------------------------	------------------------------------



<b>3X2-911</b> Matte/ Bright Green	<b>3X2-931</b> Matte/ Celadon Green	<b>3X2-991</b> Matte/ Hunter Green	<b>3X2-901</b> Matte/Black Forest Green	<b>3X2-311</b> Matte/ Sea Grey	<b>3X2-921</b> Matte/ Teal	<b>3X2-591</b> Matte/ Ocean Blue	<b>3X2-511</b> Matte/ Blue	<b>3X2-561</b> Matte/ Sapphire	<b>3X2-541</b> Matte/ Blueberry
--	---	--	---	--------------------------------------	----------------------------------	--	----------------------------------	--------------------------------------	---------------------------------------



<b>3X2-381</b> Matte/ China Blue	<b>3X2-831</b> Matte/ Beige	<b>3X2-801</b> Matte/ Taupe	<b>3X2-431</b> Matte/ Cinder	<b>3X2-301</b> Matte/ Charcoal Grey	<b>3X2-841</b> Matte/ Dark Brown	<b>3X2-731</b> Matte/ Vintage Gold	<b>3X2-371</b> Matte/ Vintage Silver	<b>3X2-391</b> Matte/ Graphite	<b>3X2-401</b> Matte/ Black
--	-----------------------------------	-----------------------------------	------------------------------------	---	--	--	--	--------------------------------------	-----------------------------------



<b>3X2-201</b> Matte/ White	<b>3X2-221</b> Matte/ Ash	<b>3X2-211</b> Matte/ Sandalwood	<b>3X2-811</b> Matte/ Parchment	<b>3X2-231</b> Matte/ Ivory	<b>3X2-241</b> Matte/ Cement	<b>3X2-581</b> Matte/ Driftwood	<b>3X2-101</b> Matte/ Clear
-----------------------------------	---------------------------------	--	---------------------------------------	-----------------------------------	------------------------------------	---------------------------------------	-----------------------------------

## Specifications

### Material

- » Laminated impact acrylic for reverse engraving

### Finish

- » Matte non-glare

### Minimum Sheet Size

- » 24" x 48¾"  
(610 x 1238mm)

### Thickness 2-ply

- » 1/32" (0.8mm) Use 312 as first digits in item code.
- » 1/16" (1.6mm) Use 322 as first digits in item code.
- » 1/8" (3.2mm) Use 342 as first digits in item code. (Gauges are approximate.)

### Usage

- » Interior signage
- » Exterior signage
- » Personal identification
- » ADA compliant

### Engraving Method

- » Rotating carbide

### Cutting Depth

- » .012" (.30mm)

### Fabrication

- » Saws
- » Drills
- » Bevels
- » Heat bendable
- » Screen prints
- » Hot stamps
- » Bonds
- » Braille-engrivable
- » Back-lighting
- » Back-filling
- » UV stable
- » Outdoor weatherable